

Web Images Groups News News Froogle more »

convert transform request application serve Search Advanced Search Preferences

Web Results 1 - 10 of about 5,140 for convert transform request application server connector metadata legacy 2000 langu

### WebSphere Journal

... a Web site and then propagate the change to the ... 2. Propagate the request to the appropriate systems, using ... For this example, we will transform the message into ... sys-con.com/story/?storyid=43416&DE=1 - 60k - Cached - Similar pages

#### IC Online - XML Products

... interbindIBX 1.2 could be subject to change. ... Folders can also help **transform** existing networks ... gateway, logistics, reporting, quotation **request**, and factoring. ... www.computer.org/internet/xmi/xmi.prod.htm - 52k - <u>Cached - Similar pages</u>

### Position-Dependent Services Using Metadata Profile Matching

... is that the user's position can change between requests ... Java, C++, Javascript), we can readily transform XML from ... As a request travels over the network from ... www.isoc.org/inet2000/cdproceedings/3a/3a\_3.htm - 49k - Cached - Similar pages

# [PDF] Choosing a J2EE application server for your commercial software ...

File Format: PDF/Adobe Acrobat - View as HTML

... platform supporting J2EE when your needs change. ... applications to parse and transform XML documents. ... Language (WSDL) is automatically generated upon request. ... www.macromedia.com/software/ jrun/whitepapers/pdf/jr4\_isv\_whitepaper.pdf - Similar pages

#### Merging XML Technologies

... into the original format to be transparent to the change. ... us to take our XML documents and transform them into ... the Oracle XSU to pull the requested data from ... www.idealijance.org/papers/xml2001papers/tm/web/04-05-02/O4-05-02.htm - 47k - Cached - Similar pages

## Microsoft TechNet: Host Integration Server 2000 Product Overview

... developers the tools they need to transform the Web ... a gateway device between them that can convert from one ... or Logical Unit pools that the client can request. ... www.microsoft.com/technel/ prodtechnol/host/evaluate/hiserv2k.mspx - 101k - Cached - Similar pages

#### [PDF] Novell exteNd Composer SAP Connect

File Format: PDF/Adobe Acrobat - View as HTML

... SAP component is designed to map, transform, and transfer ... an SAP function which processes request data and ... example, you may have an application that retrieve a ...

www.novell.com/documentation/lg/ extendcomposer42/pdfdoc/SAPConnectUserGuide.pdf - Similar pages

### [PDF] Oracle Application Server 10g

File Format: PDF/Adobe Acrobat - View as HTML

... convert syntax), transform (convert semantics), and ... and Schemas, enterprise applications, or databases. ... While Oracle Application Server ProcessConnect complies ... www.oracle.com/technology/ products/ias/pdf/10g\_904\_nf\_wp.pdf - Similar pages

## Cover Pages: XML Articles and Papers. July-September 2000.

... On every ASP request, we are loading from four to ... structured data set each time there is a change. ... content formats – and could possibly transform the messages ... xml coverpages.org/xmlPapers2000Q3.html - 101k - Cached - Similar pages

Google Search: convert transform request application server connector metadat... Page 2 of 2

Content Management, XML, and Information Technology News - Gilbane ...
... that occurs within Livelink, such as a change in status ... on the content of these fields
and transform the fields ... can download the patch directly or request a CD ...
gilbane.com/content\_management\_news.pl/ 2000/3/content\_management\_news.html - 94k - Jan 19, 2005 Cached - Similar pages

G0000000008 | C >
Result Page: 1 2 3 4 5 6 7 8 9 10 | Next

Free! Google Desktop Search: Search your own computer.

convert transform request applica Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<b>S1</b>	1109	((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	Ö	2004/06/18 16:25
S2	702	(((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
<b>S3</b>	180	((((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1) and (connector\$1 transfomer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:05
S4	157	((((translat\$3 convert\$3 transform\$3) with (format language\$1) with (message\$1 request\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and client\$1) and (metadata metamodel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:01
<b>S5</b>	357	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:03
S6	19	(((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and (metadata metamodel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
S7	4904	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:03

S8	3133	(((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:04
<b>S9</b>	460	((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	2004/06/09 17:04
S10	447	(((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:05
<b>S11</b>	262	(((((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)) and (connector\$1 transfomer\$1 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:10
S12	2	"6499036".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 17:10
S13		"5872971".PN.	USPAT	OR	OFF	2004/06/09 17:19
S14	1	"5870545".PN.	USPAT	OR	OFF	2004/06/09 17:20
S15	1	"5854750".PN.	USPAT	OR	OFF	2004/06/09 17:20
S16	1	"5870545".PN.	USPAT	OR	OFF	2004/06/09 17:21
S17	1	"5872971" PN.	USPAT	OR	OFF	2004/06/09 17:21
S18	1	"5787300".PN.	USPAT	OR	OFF	2004/06/09 17:21
S19	1	"5732270".PN.	USPAT	OR	OFF	2004/06/09 17:21

520	176	(((user\$1 client\$1) near3 (application\$1 program\$1)) same	US-PGPUB; USPAT;	OR	ON	2004/06/10 16:28
		(GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))	EPO; JPO; DERWENT; IBM_TDB			
<b>S21</b>	60	((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and ((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 result\$1 response\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10.17:18
S22	2	"20020038335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:56
S23	2	"20030163585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:58
S24	2	"20020078010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 16:58
S25	29212	((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:18
S26	22	((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/06/10 17:18

S27	74	((((user\$1 client\$1) near3 (application\$1 program\$1)) same (GUI\$1 browser\$1)) and ((server\$1 (application adj server\$1)) with ((cobol legacy (stand\$1alone)) adj2 (application\$1 program\$1)))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 17:23
S28	2	"6115040".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 10:33
S29	2	"20030043395".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:48
S30	2	"20020002577".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:51
S31	1	"20040111464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S32	2	"20020038335".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S33	2	"20030163585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:52
S34	275277	((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ΘR	ON	2004/06/14 14:24
S35	205042	((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:50

		1 1 1 1 1 1	110 000115	00.	<u> </u>	2004/05/14 12:51
S36	14895	(((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:51
S37	903	((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
S38	620	(((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
\$39	352	((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24
S40	228	(((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:55

S41	31	((((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:55
<b>\$42</b>	83	((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:04
S43		((((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:19
\$44	56	(((((((((convert\$3 transform\$3 translat\$3) near5 (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)) and input\$1 and output\$1) and client\$1 and server\$1) and ((legacy stand\$1alone) adj2 (application\$1 program\$1))) and (data adj (type structure))) and (OO object\$1oriented)) and pointer\$1 and reference\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:21
S45	216026	((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24

S46	870	(((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:24
S47	459	((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:25
S48	43	(((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and ((legacy stand\$1alone) adj2 (application\$1 program\$1)) and (client\$1 user\$1) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:31
<b>S49</b>	12	((((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and (client\$1 user\$1) and server\$1) and (pointer\$1 same reference\$1) and (input\$1 same output\$1 same parameter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:32
S50	323	(((((convert\$3 transform\$3 translat\$3) with (language\$1 format\$1 request\$1 message\$1 data response\$1 result\$1)).ab.) and (OO object\$1oriented)) and (data adj (type structure))) and (client\$1 user\$1) and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:35
S51	2	"20020038336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 17:40
S52	2	"20030191970".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/06/16 15:54
\$53	2	"6738975".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2004/06/16 15:54

S54	2	"6094688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2004/06/16 15:55
S55	1	"20030191970".pn. and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:42
S56	2	"6738975".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:43
S57	2	"6094688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:43
S58	11	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:28
S59	8	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end) and monitors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S60	11	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S61	13	"345"/\$.ccls. and (legacy adj (application1 program\$1)) and (GUI\$1 front\$1end browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	ÖR	ON	2004/06/18 16:29
S62	78	"345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:29
S63	76	("345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)) and (display monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 16:30

S64	407	((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)).ab. and ((legacy adj (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 09:52
S65	2836	stand\$1alone) 719/310,315,316,319,320,328, 329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/01/21 09:52
S66	18	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 09:52
S67	309	((((((translat\$3 convert\$3 transform\$3) with (message\$1 request\$1 response\$1)) and ((legacy adj (application\$1 program\$1 system\$1)) stand\$1alone)) and server\$1 and (client\$1 user\$1)) and (meta\$1data meta\$1model)) and request\$1 and (response\$1 result\$1)) and (connector\$1 transfomer\$1 adapter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:07
S68	30	S65 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:07
S69		("345"/\$.ccls. and (legacy adj (application\$1 program\$1)) and (GUI\$1 front\$1end browser\$1)) and (display monitor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:15